



G.B. Pant National Institute of Himalayan Environment (NIHE)
(Formerly Known as G.B. Pant Institute of Himalayan Environment)
Kosi-Katarmal, Almora - 263 643, Uttarakhand

Revised E-tender notice

No.-GBPNIHE/NMHS-GOI funded project/SM/2021-22/03

E- tenders are invited on behalf of the Director, GBPNIHE, Kosi-Katarmal, Almora from eligible reputed and registered firms/suppliers/manufacturers for supply/ Installation of following works:-

Sr. No	Equipment/Item	Qty.
1.	Supply of two 50 m ² Pota Cabin with accessories	02Nos

A “Bid security declaration” (Annexure-V) be signed by the tenderer and enclosed with tender documents. If the firm withdraw or modify their bid during period of validity etc, they will be suspended for three financial years. The tenderer will have to deposit tenderer fee of amounting to Rs 590.00 in form of Account payee Demand Draft Fixed Deposit Receipt, Banker’s Cheque or Guarantee from any of the Commercial Banks or **payments online in Account name- GBPNIHE-GIA-General, Account Number- 3604013559, Bank & Branch-Central Bank of India Kosi Bazar, Almora, Branch Code- 01528, IFSC-CBIN0281528 in favour of G.B. Pant National Institute of Himalayan Environment” Payable at Almora.** The offers, in the prescribed format, shall be submitted online at <https://moefcc.euniwizarde.com/> as per the tender document. No tender will be accepted in hard copy, fax, e-mail or any other such means. The intending, bidders must be registered with Public Procurement <https://moefcc.euniwizarde.com/> the tender document is also available on website: <https://moefcc.euniwizarde.com/> and CPP Portal <https://eprocure.gov.in/epublish/app>.

a.	Availability of tender document on CPP portal/ website :https://moefcc.euniwizarde.com	XXXXXXXXXX
b.	Request Tender Document from date and time	09.04.2021 at 17.00 Hrs
c.	Request Tender documents till date and time	03.05.2021 at 14.58Hrs
d.	Technical Bid online submission end date	03.05.2021 at 15.00 Hrs
E	Financial bid online submission end date.	03.05.2021 at 15.00 Hrs
f.	Date and time for opening online technical bids	03.05.2021 at 15.30Hrs
g.	Date and time for opening online financial bids	03.05.2021 at16.00Hrs
h.	Validity of tenders.	90 days
i.	Estimated Value of the Contract	XXXXXXXXXX
j.	Tender Fee	500.00 + 18%GST

Administrative Officer
Email: ao@gbpihed.nic.in



INDEX

Sl. No.	Contents	Page no.
1.	Schedule of Tender	1
2.	General Terms and Conditions	2-3
3.	Submission of Bid	3-7
4.	Payment Conditions	7-8
5.	Settlement of Dispute	8
6.	Force Majeure	8
7.	Application Form (Annexure I)	9
8.	Bid form (Annexure II)	10
9.	Undertaking (Annexure III)	11
10.	Specifications of Items (Annexure IV)	12-20
11.	Check list	13
12.	Instruction for online bid submission	21



G.B. Pant National Institute of Himalayan Environment (NIHE)
(Formerly Known as G.B. Pant Institute of Himalayan Environment)
Kosi-Katarmal, Almora - 263 643, Uttarakhand

No.-GBPNIHE/NMHS-GOI funded project/SM/2021-22/03

1.

a.	Availability of tender document on CPP portal/ website :https://moefcc.euniwizarde.com/	XXXXXXXXXXXX
b.	Request Tender Document from date and time	09.04.2021 at 17.00 Hrs
c.	Request Tender documents till date and time	03.05.2021 at 14.58Hrs
d.	Technical bid online submission end date.	03.05.2021 at 15.00 Hrs
e.	Financial bid online submission end date and time	03.05.2021 at 15.00 Hrs
f.	Date and time for opening online technical bids	03.05.2021 at 15.30Hrs
g.	Date and time for opening online financial bids	03.05.2021 at16.00Hrs
h.	Validity of tenders.	90 days
i.	Estimated Value of the Contract	XXXXXXXXXX

Kosi-Katarmal
Date:

Signature & Seal of
Administrative Officer

1.0. GENERAL TERMS AND CONDITIONS

1.1. This document contains the following:

- (i) Copy of the local competitive bidding notice
- (ii) General terms and conditions of bid
- (iii) Terms and conditions for submission of bid
- (iv) Payment terms
- (v) Settlement of dispute
- (vi) Application form
- (vii) Undertaking
- (viii) Bid form
- (ix) Detailed specification of the items and required quantity
- (x) Check list

1.2 The tender document is not transferable by the purchaser. The bid form supplied by the Institute at Annexure - II in original only is to be used for bidding. Bids must be submitted separately for each item or group of items for which separate tender forms need to be purchased. Bids made on Photocopy, *etc.*, will not be considered. However, the additional sheets containing the same Performa may be used. Each sheet including that provided by the Institute with this document must be signed by the bidder. **The price bid must be in the form provided herewith at Annexure – II.**

1.3 The tender will not be accepted from the firm to whom the document is not issued by the Institute.

1.4 The Institute takes no responsibility for delay or non-receipt of Tender document sent by post either way and also reserves the right to accept or reject any or all the tenders in part or full without assigning any reason thereof.

1.5 No bid document will be sold after the last date of sale of tender document or between the extended period of opening date, if any.

1.6 The bidder is expected to examine all instructions, forms, terms and conditions and specifications mentioned in the bidding document. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding document in every respect will be at the bidder's risk and may result in the rejection of its bid.

1.7 This call of tenders does not bind the Institute to place order. The tenders submitted in response to this invitation can be rejected without assigning any reason.

1.8 The Institute at its discretion may extend the last date of submission of tender and opening of tenders. The final authority for acceptance of a tender will rest with the Director, G.B. Pant Institute of Himalayan Environment and Development, who does not bind himself to accept the lowest tender and is vested with the authority to reject any or all of the tenders received without assigning any reason.

1.9 Documents, literature, diagrams/leaflets, and samples *etc.*, enclosed in the tender shall become the property of the Institute without any payment.

1.10 **The warranty period is twelve months starting from the date of successful commissioning of the instrument or installation of furnitures, etc. Therefore,**

successful bidders have to deposit performance guarantee i.e.3% of the value of the item before issuance of supply order. Performance guarantee should be valid till 90 days beyond the expiry of warranty.

1.11 The tender would be regarded as turned down, if no award of contract has been obtained till the expiry of the tender validity. No separate communication will be made in this regard.

1.12 The items have to be supplied in standard packaging.

1.13 In case of the date of opening of tender is declared as Public Holiday, the tender shall be opened on the next working day at the same time.

1.14 The bid shall contain no interlineations, erasures or overwriting words except as necessary to correct errors made by the bidder, in which case such correction shall be initialled by the person or persons signing the bid.

1.15 Late and delayed tenders shall not be considered and may be returned unopened to the bidder.

1.16 It is advised that the outside suppliers should send the tender through registered post. However, the local supplier may drop their tenders in the office of the Institute.

1.17 Canvassing in any form will disqualify the bid.

1.18 Request for the tender document for bidding through telegram, telephone, money order and telefax shall not be entertained.

1.19 The tender notice No.-GBPNIHE/NMHS-GOI funded project/SM/2021-22/03 **Item code numbers (The item code number is given in the specification sheet)** must be invariably quoted in bid and further correspondence in this regard.

1.20 All the tenders should be addressed to:

The Director

Attention: The Administrative Officer

G.B. Pant National Institute of Himalayan Environment

Kosi-Katarmal, Almora 263 643, Uttaranchal, India.

2.0 **Submission of Bid**

2.1 The bid prepared by the bidder and all correspondence and documents relating to the bid exchanged by the bidder and the purchaser, shall be written in English language, provided that any printed literature furnished by the Bidder may be written in another language so long as accompanied by English translation of its pertinent passages in such case, for purposes of interpretation of the bid English translation shall govern.

2.2 Bids must be made separately for each item or group of items for which separate tender forms need to be purchased. The bid must accompany Annexure - I with Techno Commercial part of Bid and Annexure - III along with "Price" part of the bid duly filled in and signed by the bidder along with the seal of the firm.

2.3 The bidders are requested to quote the rates item-wise and the total price of each instrument separately indicating the Government levies, transportation and other expenditure item-wise as FOR our Institute in case of LCB and FOB rates in the case of ICB.

2.4 Bidder can quote the rates for all the instruments or some of the instruments. The Institute reserves the right to accept the tender in full or in part.

2.5 The tender is to be submitted in “single stage – 2 bid system” (Technical and financial) *i.e.*, the first bid will contain full information required to judge pre-qualification, complete details and specification of the instruments offered including the leaflets and catalogues, list of credentials with documentary evidence *i.e.*, purchase/work order *etc.*, Income Tax clearance certificates, sales tax registrations No., Affidavit for not being black listed, Commercial Terms and conditions, *etc.* It shall be marked “Prequalification’s, technical and commercial bid No.- GBPNIHE/NMHS-GOI funded project/SM/2021-22/03.”

2.6 A “Bid security declaration” (Annexure-V) will be signed by the tenderer and enclosed with tender documents. If the firm withdraw or modify their bid during period of validity etc, they will be suspended for three financial years.

2.7 The validity of tender would be for a minimum period of 90 days from the date of opening of tenders. A bid valid for a shorter period may be rejected by the Institute as non-responsive. In exceptional cases the Institute solicit the bidder’s consent to an extension on the period of validity and the bid shall remain valid for the extended period mutually agreed for.

2.8 The rates should be quoted both in words and figures.

2.9 Arithmetical error will be rectified on the following basis: -

If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If there is discrepancy between words and figures, the amount in words will prevail.

2.10 Tenders not in proper sealed cover or received telegraphically or by fax will not be entertained.

2.11 Conditional tenders will be rejected without assigning any reason.

2.12 The bid shall be typed or written in indelible ink and shall be signed by the bidder or a person duly authorized to the contract. The letter of authorization should bear the signatures of only the authorized person of the firm. All pages of the bid, except for unamended printed literature shall be initialled by the person or persons signing the bid.

2.13 To assist in the examination, evaluation and comparison of bids the buyer may, at its discretion, ask the bidder for a clarification of its bid. However, no change in the price or substance of the bid shall be sought, offered, re-permitted.

2.14 Eventual suggestions for modification or subsidiary tenders are principally not admissible.

2.15 The specification are clearly mentioned in the document and the bidders are requested to submit bid only if their offer strictly comply to these specifications. Please note that no deviation in the required specification will be permitted. The bidding for the instruments having different specification will be on bidder’s risk as the Institute will not entertain such bids. BIDS CARRING THE STATEMENT LIKE “SPECIFICATION AS PER TENDER DOCUMENT” SHALL NOT BE ENTERTAINED. THE

PRODUCT SPECIFICATIONS SUPPORTED BY TECHNICAL LITERATURE AND LIST OF USERS, MUST BE ENCLOSED.

2.16 The placement of work order/purchase order will be according to technical evaluation of the tender and after consideration of its price worthiness.

2.17 The price to be given in the tender are fixed prices, irrespective of rise in materials prices and increase in taxes etc., till the delivery of the overall consignment. No request in regard to increase in the price of instruments or in taxes etc., will be entertained after the submission of the tender.

2.18 The nomenclature of the Instruments and spares will be invariably same in performa invoice, invoice, and packing list and in other relevant papers in case the bidder is asked to supply the instruments against his offer.

2.19 With the submission of his tender the bidder accepts the conditions of the tender.

2.20 If the Instrument/item, etc., supplied is of specifications other than asked for in the supply order(s) it will have to be replaced at their risk and cost. No freight and other charges for export and re-shipment will be paid by the Institute.

2.21 The installation of the instrument(s)/items, etc., is the entire responsibility of the supplier. It must be done either by the principal/supplier or their authorised agents within one month of the receipt of the instruments by the Institute. The supplier of agent should be in touch with the Administrative Officer of the Institute to know the exact day of receipt of stores supplied/despatched by them.

2.22 The list of instruments/items, their approximate quantity and their detailed specifications are given at **Annexure - IV** of this document. **For all items the point of delivery and work the installation site is around 3200 m above sea level near Dugtu, Pithoragarh, Uttarakhand.** The quantity mentioned in the tender document may be reduced or increased at the discretion of the competent authority in the Institute without assigning any reason.

2.23 Each and every folio of the tender must be signed by the bidder.

2.24 Bidder can quote the rates for all the instruments or some of the instruments. The bid shall be considered only for those instruments for which the rates have been specifically quoted. The Institute further reserves the right to accept the tender for all the instruments or some of the instruments for which the tenderer has quoted the bid.

2.25 The instrument for which tenders are invited will have to be supplied within 30 days for LCB and 90 days for ICB from the date of issue of supply order. In case of non-observance of delivery period of supply not in accordance with the supply order the supplier has to pay default compensation at the rate of 0.5 per cent of the total value of order per concluded week of the default, but not exceeding 5 per cent of the total value of orders.

2.26 The after sales services is most important to be considered for comparison bids from firms who do not have Indian agents to provide after sales service & service during warranty period, will not be entertained.

2.27 In the case of imported instruments, the quotations from principals, will only be considered. The quotations if any received from Indian Agents on behalf of their principals, will not be considered. The agency commission will be paid in Indian Rupees. Therefore, the charges on account of agency commission should be clearly mentioned. In the case of indigenous instrument price should be quoted on FOR Institute basis and in the case of imported instruments the price should be quoted on FOB basis.

2.28 The foreign bidders must indicate the following information in their Performa invoice.

- a) Country of Origin
- b) Post of shipment
- c) Name & address of beneficiaries Bank with Account No.
- d) Minimum delivery period
- e) Whether transshipment/part shipment is required or not
- f) Agency commission, if any, payable to the Indian Agent

2.29 The items have to be supplied in standard packing. The foreign supplier should use the minimum possible packets and should reduce the size of the packing in volume to avoid extra demurrage in the bonded warehouse in India, if any.

2.30 In case of foreign suppliers, they will have to ensure shipment of the consignment as per the validity of the Letter of Credit established in this regard. In case of extension of supply date is sought, the bank charges towards the amendment of L.C. will be borne by the beneficiary/supplier.

2.31 If the instrument supplied is found defective/unsatisfactory condition/short supply/other than specifications in the Purchase order(s), the same will have to be replaced at the suppliers risk & cost. No freight & other charges for export & reshipment will be paid by the Institute.

2.32 Foreign principals/their authorized Indian agent shall intimate the buyer regarding the shipment well in advance.

2.33 At any time prior to the deadline for submission of bids the buyer may for any reason whether at its own initiative or in response to a clarification requested by a prospective bidder modify the bidding document by an amendment.

2.34 The amendment if any will be brought to the notice in writing or by fax or cable to all concerned bidders who have received the bidding documents and will be binding on them.

2.35 In orders to afford prospective bidder reasonable time in which to take the amendment into account in preparing their bids, the buyer may at its discretion, extend the deadline for the submission of bids.

2.36 The prices must be quoted item wise *i.e.*, basic price, taxes, packing, forwarding, handling and transportation charges, insurance, installation charges, *etc.* The charges must be quoted clearly and not in vague terms like "As Actual," "Approx.," *etc.*

2.40 If according to the bidder, the tendered documents contain certain unclear points which could influence price calculations, the bidder has to inform the authority who is issuing the call of tenders before submission of his tender, either in writing or by fax/cable, even if he has pointed out this earlier in any other form/reference.

2.37 The packing, forwarding, insurance and transportation charges must be quoted according to the place of delivery as mentioned in the schedule at Annexure - IV. The supplier will be held liable for any damage, theft or loss during transit. The instruments are to be dispatched to the respective places directly and to be installed there by the supplier under intimation to the G. B. Pant National Institute of Himalayan Environment at Kosi-Katarmal, Almora.

2.38 The delivery of stores in case of foreign supply shall be taken at New Delhi. The price indicated should be on FOB basis. Please note that Performa invoice must be separate for each instrument/item.

2.39 Provision for customs duty exemption will be made by the Institute.

2.40 **MOST IMPORTANT**

PLEASE NOTE THAT ANNEXURE - I OF THIS DOCUMENT MUST BE ENCLOSED WITH THE FIRST PART OF BID *i.e.*, "TECHNICAL AND COMMERCIAL BID" AND ANNEXURE – II, III AND IV WILL BE KEPT IN THE SECOND PART OF BID *i.e.*, "PRICE BID"

2.41 PLEASE NOTE THAT THERE IS NO NEED TO ENCLOSE THE ENTIRE TENDER DOCUMENT (SUPPLIED BY THE INSTITUTE) WITH YOUR BID. ONLY ANNEXURE - I, II AND III NEED TO BE ENCLOSED AS PER INSTRUCTION STIPULATED IN PARA 2.45 AND OTHER RELEVANT PARAGRAPHS OF THIS BID.

3. **PAYMENT CONDITIONS**

3.1 Payment, 100% shall be released only after satisfactory installation of equipment. No advance payment shall be allowed in any case. The defective, substandard and contrary to the specifications of instruments/furniture's/items supplied have to be replaced by the supplier at their cost and responsibility. In the case of International Competitive Bidding, payment will be made by opening a Letter of Credit.

3.2 In case several bills are presented, against one order, the reference of supply order and other details should be mentioned in each and every bill.

4.0 **SETTLEMENT OF DISPUTE, ARBITRATION**

4.1 All disputes or difference arising out of or in connection with the contract and supply of any item/equipment assigned under the same (whether during the progress of the works or after their completion, determination, abandonment or breach of the contract) shall be Referred to a team of three member arbitrators appointed by the Director, G. B. Pant National Institute of Himalayan Environment. The arbitrators shall elect an umpire among them. In case of conflicting findings by the arbitrators the decision of the umpire shall be final and binding. It will not be an objection to any such appointment that the arbitrators are the Government servants and had any interest in the Institute or the contract entered into directly or indirectly. In all cases, the arbitrator shall state their decision in writing if, amount of claim in dispute is Rs. 50, 000/- and above, subject as aforesaid the provision of the Arbitration Act, 1940 or any statutory modification or re-enactment thereof and the rules made the tender and for the time being in force shall apply to the arbitration proceedings under this clause.

4.2 It is a term of the contract that the party invoking the arbitration shall specify the dispute or disputes to be referred to the arbitration under this clause together with the amount or amount claimed in respect of each such dispute.

4.3 It is also a term of the contract that if the supplier(s) do not make any demand for arbitration in respect of any claim(s) or dispute in writing within 90 days of submission of the final bill for payment, the claim of the supplier will be deemed to have been waived and absolutely barred and the Institute will be discharged and released of all liabilities under the contract in respect of these claims.

4.4 The courts at Almora shall have exclusive jurisdiction to entertain and try all matters arising out of this contract.

5.0 **FORCE MAJEURE**

5.1 Vendor shall not be considered in default if delay in delivery occurs due to causes beyond his control such as acts of God, natural calamities, civil wars, strikes, fire, frost, floods, riots and acts of usurped power. Only those causes which have duration of more than 7 calendar days shall be considered cause of force majeure. A notification to this effect duly certified by the local chamber of commerce/statutory authorities shall be given by the vendor to the Institute by registered letter. In the event of delay due to such cases a length of time equal to the period of force majeure or at the option of the Institute the order may be cancelled. Such cancellation would be without any liability whatsoever on the part of Institute. In the event of such cancellation the vendor shall refund any amount advanced or period to the vendor by the Institute and deliver back any material issued to him by the Institute and release facilities, if any, provided by the Institute.

ANNEXURE I

APPLICATION FORM

(To be filled by the bidder)

- 1) Name and full address of the bidder
Including telegraphic address/fax no.
- 2) Name and designation of the head of the
Firm/supplier and his telephone/fax no.
- 3) (I) In case the supplier is located of the
Country his contact address/authorized
Distributor's or agent's address in the
Country, if any

(ii) Name, designation, address, telephone
Numbers of the authorized person who
May be contacted during the process
Of the purchase concerned under this
Document (applicable for all suppliers)

- 4) **Bid security declaration Submitted** Yes/No
- 5) If yes, demand draft no., date and
Name of issuing bank
- 6) Validity of tender
- 7) If the tender conditions are accepted
In full (reply in yes or no)
- 8) Income tax clearance certificate
Attached (latest) (reply in yes or no)

Place
Date

Legally binding
Signatures with stamp

Annexure - II

**Details showing quantity, specification and other details of the items offered
(to be filled by the bidder and must be kept in "price bid" part of the tender)**

Item code. As per our Documents	Name of the item	Specification offered by the bidder	Difference in specification of tender Document and That of bid, if any	Quantity required	Unit rate	Terms and other expenditure & insurance and freight (in case of foreign bid)	Total amount
1	2	3	4	5	6	7	8

	Supply of two 50 m ² Pota Cabin with accessories -			02 Nos			
--	---	--	--	--------	--	--	--

Note: If this sheet is not sufficient to accommodate the bid additional sheets containing the same Performa may be used. But all such sheets, including this one must be signed by the bidder along with the seal. In case of foreign bidder this Annexure must be enclosed in the Performa invoice, instrument/item-wise.

**ANNEXURE III
UNDERTAKING**

To
The Director
G.B. Pant National Institute of Himalayan Environment
(Ministry of Environment and Forests, Government of India)
Kosi-Katarmal, Almora 263 643, UttaraKhand, India.

Date:

Sir,

Having examined the conditions of tender document and specifications of the various items, the receipt of which is hereby acknowledged. We the undersigned offer to supply, delivery and install the following:

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.

(Please add additional pages, if required)

The above supply, installation shall be in conformity with the specifications and conditions of supply of a sum of Rs. (US \$)

We undertake if our bid is accepted to deliver the items quoted by us, we shall deliver and install within a period indicated by us in our offer.

We agree to abide by this bid for a period of 90 days from the date fixed for bid opening and it shall remain binding upon us and may be accepted at any time before expiration of that period.

This bid, together with your written acceptance thereof in your notification of award shall constitute a bidding contract between us.

We understand that you are not bound to accept the lowest or any bid you may receive.

Dated this day of 2021

Signature of authorized person
Name with stamp and full
Address

CHECK LIST FOR THE BIDDER

- 1) Bid on original tender form only.
- 2) Price bid must be Part II of the bid in the form provided at Annexure II of the tender document
- 3) The basic price, taxes, packing, forwarding, handling, transportation, insurance, installation charges, *etc.* must be quoted clearly. Do not use vague terms like “as actual, approximately, *etc.*”
- 4) Do not use the terms “as per specification of tender documents” in respect of instruments. There should be proper write up of product(s) quoted for supported with printed leaflets, literature, *etc.*

ANNEXURE -IV

Supply of pre-fabricated and pre-assembled portable cabin for High-Altitude Field Laboratory

Introduction:

Purchase of the pre-fabricated and pre-assembled portable cabins, as per the attached layout plans for laboratory-cum accommodation, kitchen and bio-toilet block as per the scope & specification mentioned below required for upcoming Cold Laboratory under the National Mission on Himalayan Studies (NMHS) at a high altitude site near Dugtu, Pithoragarh, Uttarakhand.

Time Schedule:

Overall supply and installation time (including transportation time to site) for installation of pre-fabricated portable cabin for accommodation, office, laboratory with toilet and kitchen block will be 60 days from the date of award of work. **The installation site is around 3200 m above sea level near Dugtu, Pithoragarh, Uttarakhand without any electricity and telephone connections.** Since the installation site is at a very remote location, near a glaciated basin, the working window is expected to be between April to October.

Intent of specification:



- The intent of this specification was to make the tenderer appraise of his involvement / commitment for the above unit covered in this tender. The successful bidder shall submit his offer on the information contained in this specification and related documents.
- The Tender calls for turnkey execution of the supply order covering supply and installation of the following portable cabin for office, accommodation, laboratory purpose with bio-toilet and kitchen block as per the scope in this specification.
- The portable cabins with bio-toilet shall be pre-fabricated and pre-assembled at a suitable location of factory site, and would be installed by the vendor at a site is around 3200 m above sea level near Dugtu, Pithoragarh, Uttarakhand, after approval.
- The successful bidder shall satisfy himself, before submission of the offer, the nature and location of work place, general and local conditions, as well as all other matters.
- The successful bidder shall be responsible for coordinating the entire Installation in his scope as well as with other agencies, if any, for interfacing works and execute the contract within specified time schedule.

Scope of work:

The scope of work includes ***Supply of pre-fabricated and pre-assembled portable cabin for laboratory purpose with bio-toilet and kitchen block*** as per the attached Technical Specification, including provision for lighting & all electrical work complete in all respect. The above mentioned pre-fabricated and pre-assembled Portable cabins shall be installed at a specified location **near Dugtu, Pithoragarh, Uttarakhand, around 3200 m above sea level.**


Entire cabin shall be made of such material which shall be sturdy, stable for many years as per relevant I.S. codes and **shall be able to withstand extreme climatic conditions, such as temperature upto -30°C with snow depth of 2-5 feet.** No leakages, seepages through walls, roof shall be permitted. All joints between wall panels, roof level shall be properly sealed by the tenderer to avoid ingress of water/insects/reptiles etc.

The laboratory cabin of pre-fabricated panels complete in all respect including flooring, opening of the doors and windows, partitions, projections, etc. are part of tenderer's scope of work as per the attached layout plans:



LAYOUT PLAN - 1

DRAWING	DOOR & WINDOW SIZE	SHEET TITLE	DATE
LAYOUT PLAN	D1 2,3,4 = 1000 X 2100 = (4) D5 6,7,8,9,10,11 = 750 X 2100 = (7) W1 2,3,6,7,10 = 1900 X 1350 = (6) W4 = 1350 X 1350 = (1) W5 = 900 X 600 = (1)	60 MM THICK WALL PANEL WITH PPGI SHEET BOTH SIDE COLOR OFF WHITE 50/80 MM THICK ROOF PANEL	04/02/2023
NOTE:- ALL DIMENSIONS ARE IN MM			
GOOD FOR FABRICATION			
DESCRIPTION			




LAYOUT PLAN - II

MS SUPERSTRUCTURE
 Superstructure work for prefab building comprising of MS Tubular Sections with the system of Column, Truss, Purlin and Portals with Primer.
 Column - 72 MM x 72 MM x 5 MM
 Purlin and Truss - 50 MM x 50 MM x 5 MM
 Base Plate - 150 MM x 150 MM x 8 MM

LAYOUT PLAN

DRAWING	DOOR & WINDOW SIZE	SHEET TITLE	DATE
LAYOUT PLAN	D1: 2,3,4 = 1000 X 2100 = (4) D5: 6,7,8,9,10,11 = 750 X 2100 = (7) W1: 2,3,6,7,10 = 1500 X 1350 = (6) W4 = 1350 X 1350 = (1) W5 = 800 X 800 = (1)	60 MM THICK WALL PANEL WITH PPGI SHEET BOTH SIDE COLOR OFF WHITE 50/80 MM THICK ROOF PANEL	06/02/2020


NOTE- ALL DIMENSIONS ARE IN MM
 GOOD FOR FABRICATION
 DESCRIPTION



ROOF PANEL

<p>SHEET TITLE</p> <p>50/80 MM THICK ROOF PANEL</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%; font-size: small;">NOTE- ALL DIMENSIONS ARE IN MM</td> <td style="width: 20%; font-size: small;">DATE</td> </tr> <tr> <td></td> <td style="text-align: center;">06/02/2020</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td style="font-size: x-small;">GOOD FOR FABRICATION</td> <td></td> </tr> <tr> <td style="font-size: x-small;">DISCRPTION</td> <td></td> </tr> </table>	NOTE- ALL DIMENSIONS ARE IN MM	DATE		06/02/2020			GOOD FOR FABRICATION		DISCRPTION	
NOTE- ALL DIMENSIONS ARE IN MM	DATE										
	06/02/2020										
GOOD FOR FABRICATION											
DISCRPTION											

LAYOUT PLAN – III (ROOF PANEL)



DRAWING	DOOR & WINDOW SIZE	SHEET TITLE	NOTE:- ALL DIMENSIONS ARE IN MM	DATE
WALL PANEL ELEVATION	D1,2,3,4 = 1000X2100 = (4) D5,6,7,8,9,10,11 = 750X2100 = (7) W1,2,3,6,7,10 = 1500X1350 = (6) W4 = 1350 X1350 = (1) W5 = 900 X 600 = (1)	60 MM THICK WALL PANEL WITH PPGI SHEET BOTH SIDE COLOR OFF WHITE 50/80 MM THICK ROOF PANEL		06/02/2020
			GOOD FOR FABRICATION	
			DISCRPTION	

LAYOUT PLAN – IV (WALL PANEL ELEVATION)

Technical Specification:

GENERAL

The Pre-fabricated and pre-assembled portable cabins, as per the attached layout plans for Laboratory-cum Accommodation, Kitchen and Bio-Toilet block are to be installed at a Site **near Dugtu, Pithoragarh, Uttarakhand, around 3200 m above sea level.**

SIDE WALLS, END WALLS & ROOF

- The side walls, end walls & roof shall be made of custom Built & Pre-engineered construction with plywood / suitable hard insulation material with GI/galvanized tin / similar suitable panels (0.50 mm) having insulation thickness 70 mm. The inner and outer side of the panels need to be painted.

FLOOR:

- The floor and foundation material should be custom Built & Pre-engineered Insulated high tensile panels or similar and carpet as per requirements.

DOORS:

- Door with plywood / suitable hard insulation material with GI/galvanized tin / similar suitable panels with above specification (7' x 3' with desired finish) with standard hardware, door closure, handle, S.S. latches with lock.

WINDOWS

- Aluminum windows, as per attached layout plans, shall be provided in the desired locations.
- The windows shall be horizontal sliding type double shutter with 6mm thick glass.
- The **safety grills/ Mesh** with external **heavy Snow Shades** shall be provided for all windows. The windows & doors at external façade shall also be provided with **steel rain and snow-shed** made of minimum 2 mm thick sheet (IS:1079 Gr. O) from outside. One ventilator with glazed louvers & exhaust fan will be provided in toilets.

HANDLING AND TRANSPORTATION

Necessary arrangements for safe and easy lifting and transportation of the portable cabins at site shall be made by the successful tenderer.

ELECTRICAL INSTALLATIONS

The Cabin shall be supplied complete with pre-wired Light fittings, 5/15A Switch Socket points (for Fridge Refrigerators, Heaters points, UPS power points etc.). All these items shall be wired and brought up to one MCB Distribution box located near door/exit at suitable height. Following are minimum items to be provided (prewired) with the each Portable cabin:

- One No. MCB distribution Box having one incomer as 240-415V, TPN 63A ELCB/RCCB & with required numbers out going feeders (min. 12 nos of DP MCBs-20A rating each) for power supply of Light fittings, Fans, UPS & Fridge etc. Suitable conduit entry provision shall be provided for taking incoming power supply cable. The MCB distribution box may be provisioned with a Change Over Switch. The incoming power supply cable shall be terminated by Purchaser under separate enabling package. The MCB DB shall be suitable for termination of incoming cable of size 3.5x25 sq.mm armoured, aluminium cable with loop in & loop out facility.
- Surface mounted, energy efficient LED tubular fitting complete (3 Nos. inside Wet Lab and Meeting hall, 2 Nos. inside Computer Lab, Sitting Area and Accommodation rooms, uniformly no. in kitchen, toilet, corridor and bath distributed for better lighting).
- Outdoor type Bulk head CFL fittings (min. 12W) distributed all around, including entrance.
- Exhaust Fan - 1 No. each at each toilet.
- Required numbers of Switch boards complete with piano type switches, 5/15A 3 pin sockets, for ON/OFF of all light fittings, exhaust fan, Air Heater, Fridge points etc. Separate switch boards shall be provided for Wet Lab and Computer Lab.
- All wiring shall be done using PVC casing or PVC conduits. Wiring shall be done using minimum 1.5 sq. mm copper wires for light fittings, fan points, exhaust fan point & 5A socket points. However, wiring of Fridge, heater & 15A socket points etc. shall be done using minimum 2.5sq.mm copper wires.
- For earthing of all power points, light fittings, Air heater points, Switch sockets etc. green coloured wire min. 1.5 sq.mm copper shall be used & brought up to Main MCB DB for further external earthing.
- Tenderer shall note that looping of cable from one cabin to other shall also be done by Purchaser. Further, Earthing pits for cabin & Earthing of MCB DB with earthing pit shall be under the scope of purchaser.
- **Make of Equipment**

MCB DB - Havells/Meditron/BCH/C&S/Control Devices/Venus Light Fittings - Bajaj/ Crompton Greaves/ GE Lighting/ Philips Switches & Sockets - Anchor/Havells/MDS Legrand/Cona/Ellora/Precision Copper wires for wiring -Anchor/ Havells/ GovindCable/ Nicco/ Finolex/ CCI/ Delton/ Incab/ Universal/ Fortgloster.

BIO-TOILET and KITCHEN BLOCK

The Bio-Toilet Cabins with waste treatment system shall be supplied complete with pre-wired Light fittings LED tubular as per suitability and exhaust fan points. All fittings/fans etc. shall be wired & brought up to one Switch board having one incoming 20A DP MCB and required numbers of switches. Each cabin shall be provided with separate switch box for ON/OFF of light fittings.

For outside lighting at least 2 fittings bulk head type CFL fittings shall be provided.

All wiring shall be done using PVC casing or PVC conduits. Wiring shall be done using minimum 1.5 sq. mm copper wires for light fittings, exhaust fan point. For earthing of all light fittings, exhaust fans green coloured wire min. 1.5 sq.mm copper shall be used & brought up to Switch box

at one location for further external earthing. Make of all electrical items/light fittings shall be same as per indicated above for Office Cabin.

FIXURES FOR BIO-TOILET:

- a. 1 No. health faucet.
- b. 1 No. ablution tap.
- c. 1 No. bib tap.
- d 1 No. 500 liters PVC water tank on top of the block
- e. Overflow & incoming pipe connection up to ground level to be provided with necessary valve.
- f. One floor trap in each cubicle.
- g. S.S. Towel rod in each cubicle and soap tray in each cubicle.
- h. One toilet paper holder in W.C. cubicle.

GENERAL CONDITION OF THE CONTRACT:

- All the waste material shall be removed by the agency.
- The workmanship must be excellent. In case of poor workmanship, GBPNIHE shall be free to cancel the contract & get the same executed at the risk & cost of the defaulting agency.
- Needful touch-ups shall be undertaken wherever required so that potholes are filled up.
- Any damage to the existing buildings shall be made good by the agency.
- The tenderer shall visit the site as it is remotely located and shall satisfy him/herself as to conditions under which the installation is to be performed. He shall also check and ascertain the locations of any existing structures or equipment or any other situation, which may affect the installation. No extra claim for ignorance or on the ground of insufficient description will be allowed at a later date.
- The installation in general shall be carried out as per given specifications & latest relevant BIS Codes of practice and GoI guidelines.
- The installation should include foundation using custom Built & Pre-engineered Insulated GI panels or similar and carpet as per project requirements.
- Warranty for the entire installation shall be one year from the date of commissioning.
- Necessary documents for warranty cards, purchase vouchers etc. for related items shall be handed over to GBPNIHE after warranty period.
- Flexibility to choose various finishing options on fascia of panels based upon the site conditions & requirements. Flexibility of expansion and re-location, if needed
- Large view glasses should be possible to fix with the insulated panel doors without any extra support
- Fixing of smoke detectors, fire-fighting equipment should be done, as required.
- Cabins should be perfectly insulated with weather proof construction (having 10-20 degree 'C' ambience temperature difference)
- The main framed structure should be heavy snow, wind, hailstorm and earthquake resistant.

Delivery - For all items the point of delivery and work the installation site is around 3200 m above sea level near Dugtu, Pithoragarh, Uttarakhand

“Bid Security Declaration”

I, Authorized Signatory of
M/s..... hereby declare that if I
withdraw or modify our bid during period of validity etc. My
firm will be suspended for the time specified in the tender
documents.



Instructions for Online Bid Submission:

The bidders are required to submit soft copies of their bids electronically on the e-tender Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the e-tender Portal, prepare their bids in accordance with the requirements and submitting their bids online on the e-tender Portal.

More information useful for submitting online bids on the e-tender Portal may be obtained at: <https://moefcc.euniwizarde.com/>

REGISTRATION :

1. Bidders are required to enroll on the e-Procurement Portal (URL: <https://moefcc.euniwizarde.com/>) with clicking on the link "Online bidder Registration" on the e-tender Portal by paying the Registration fee of Rs. 2360/- per year charge.
2. As part of the enrolment process, the bidders will be required to choose a unique user name and assign a password for their accounts.
3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication with the bidder.
4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Only Class III Certificates with signing + encryption key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC"s to others which may lead to misuse.
6. Bidder then logs in to the site through the secured log-in by entering their user ID/password and the password of the DSC / e-Token.
7. The scanned copies of all original documents should be uploaded on portal.

SEARCHING FOR TENDER DOCUMENTS

There are various search options built in the e-tender Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Item/work id, Title, Date, etc. Once the bidders had selected the tenders in which they are interested, bidder can pay the processing fee Rs.3000/- excluding GST@18%(NOT REFUNDABLE) by net-banking / Debit / Credit card then you may download the required documents / tender schedules, Bid documents etc. Once you pay both fees, tenders will be moved to the respective "Register" Tab. This would enable the e-tender Portal to intimate the bidders through e-mail in case there is any corrigendum issued to the tender document.

Please feel free to contact ITI Helpdesk (as given below) for any query related to e-tendering.

1. Helpdesk landline No: 011-49606060
2. Mr. Amrendra Kumar (08448288980)